

Plug in to the World of EV- charging & E- Mobility



About Us

Onecharge is a Complete EV charging infrastructure solution from Greenpill Group. Electric mobility is the smart choice. We make it the easy one, since 2020, we've focused solely on offering the best electric vehicle (EV) charging experience for everyone involved in the shift to electric mobility. Here's how we do it—and why we won't stop.

EV Charging is all we do, and we do it all

We offer best in class AC chargers, DC fast chargers and other tech enable ecosystem. Passenger cars, delivery vehicles, buses and more—we charge any EV, anywhere it goes. We've built a fully integrated portfolio of hardware, cloud services and support with the best technology in the industry.

Building a Brighter Future

We charge all of the models that are out on the streets. And we drive a lot of them ourselves, too. Because EV charging isn't just our business. It's our passion. We're already the leading EV charging opertor, with the best technology (and people). But we're not stopping there. We're all in on electric mobility, to build a brighter future for all of us.

Let's start with Onecharge





Be The Change End To End Ev Charging Stations





Charger Type

- Ac Charger
- Wall Box Charger
- DC Fast Charger
- Hybrid Charger



APPLICATIONS



Residential



Commercial



CPO Charge Point Operator



Highways



Cities & Utilities



Fleet Operation

PRODUCT OFFERINGS



Type 1: Hybrid AC Charger



Wall Mount

Item Code: 1HAC2122100

Order Details:

Design: Front Gun, 3 pin socket in middle

& Bharat AC port in the end

Colour: Matte White

Features

· Compact and rugged design

• OCPP 1.6v over GSM / ETH / WiFi

· Three-phase input

• Three outputs with a range of 2 X 3.3kW IEC 60309-1 x 7.4kW Type 2 AC

· Interactive Graphic LCD

· Authentication using app / RFID / OTP

Specifications

Input Power	3-phase 415VAC
Outputs	3.3kW X 2 (IEC 60309 Socket) 16A max each 7.4kW X 1 (Type 2 AC) 32A max
Display	4.3" Graphic LCD
OCPP and Communication	OCPP 1.6 over ETH, WiFi, GSM
Authentication	OTP / Mobile App / RFID
Dimensions (in mm)	450*172*580 (L*B*H)

Type 2: Hybrid AC Charger



Wall Mount

◆ Item Code: 1HAC2122200

Order Details:

Design: Left Side Gun, 3 pin socket in middle

& Bharat AC port in the end

Colour: Matte White

Features

· Compact and rugged design

OCPP 1.6v over GSM / ETH / WiFi

· Three-phase input

• Three outputs with a range of 2 X 3.3kW IEC 60309-1 x 7.4kW Type 2 AC

· Interactive Graphic LCD

Authentication using app / RFID / OTP

Specifications

Input Power	3-phase 415VAC
Outputs	3.3kW X 2 (IEC 60309 Socket) 16A max each 7.4kW X 1 (Type 2 AC) 32A max
Display	4.3" Graphic LCD
OCPP and Communication	OCPP 1.6 over ETH, WiFi, GSM
Authentication	OTP / Mobile App / RFID
Dimensions (in mm)	450*172*580 (L*B*H)

PRODUCT OFFERINGS



Type 3: Dual Output Charger

Pole Type - Side Gun

◆ Item Code: 1DOC2122300

Order Details:

Design: Pole Type & Side Gun

Colour: Matte White




Features

- · OCPP 1.6v over GSM / ETH / WiFi
- Three-phase input · Compact and rugged design
- Dual output with a range of 3.3kW-7.4kW per output
- Authentication using mobile app and RFID
- · Simultaneous charging support
- Inbuilt metering with class 1 accuracy


Specifications

Input Power	3-phase 415VAC t
Outputs	3.3kW - 7.4kW (Type 2 AC Dual Output Gun)
Display	20 X 4 Character LCD 4.3" Graphic LCD
OCPP and Communication	OCPP 1.6 over ETH, WiFi, GSM
Authentication	OTP / Mobile App / RFIDt
Dimensions (in mm)	506*262*1672 (L*B*H)





OUR ASSOCIATES





FUTURE OF MOBILITY IS ELECTRIC





Corporate Office

GREENPILL RENEWABLE ENERGY PVT. LTD.

C/715, Dev Aurum, Prahladnagar Road Satellite, Ahmedabad - 380015, Gujarat M: 9825429100, Vikash@greenpill.in www.greenpill.in



LET'S CONNECT Onecharge E-Mobility







